



Water Sample Submission

Unit 6 Nviro Business Hub, Die Ou Wapad Road, Ifafi, Hartbeespoort, 0260

012 252 7588

Client name / Company		Date	
ID / Company Reg. no.	Contact person	Order / Reference	
VAT no	Contact number		
Postal Address	Email (results)		
	Email (invoice)		
Site / Farm name	Courier Waybill no.		

#	Lab no.	Sample Reference	Water Temp when received at Lab	Condition of sample acceptable?		Source / Type				Irrigation	Basic Human / Animal Consumption	Global GAP	E. Coli & Coliforms	Plate count	E. Coli, Coliforms & Plate count	F	pH	ICP Elements	Heavy Metals	Turbidity	Chlorine	Colour	TDS	TSS	COD		
						Borehole / Tap	River / Dam	Waste / Effluent	RO / Bottled																		
1			°C	YES	NO																						
2			°C	YES	NO																						
3			°C	YES	NO																						
4			°C	YES	NO																						
5			°C	YES	NO																						
6			°C	YES	NO																						
7			°C	YES	NO																						

Notes / Other tests:

Water samples for bacterial analyses must be taken aseptically, see website for guideline. No results can be released without proof of payment or credit agreement. Samples or containers will not be returned, unless prior arrangements have been made. Cancellation of analyses must be given within 24 hours of sample receipt. Additional analyses not requested during sample submission must be communicated in writing. By signing this document, you accept responsibility for the account and declare that you are authorised to sign this document.

FOR LAB USE ONLY										
Client signature	Sample Received by:	Method Received:	Courier	Toonbank	Lab no. allocated by:	STAMP	Intake done on LIMS by:	STAMP	Customer consent to continue with sample:	
		Date Received:	yyyy/mm/dd		Lab no. allocated date:				Intake date on Lims:	YES